

AIR FILTER FOR VACUUM PUMP

SAV 249.72FILT

Use :

These dust filters can be mounted on the inlet side of vacuum pumps to protect the pump against: dust, powders, chips, etc. The filters consist of a steel housing and a quick-change cartridge. There are 4 types of cartridge:

Paper cartridge: Separates particles up to 1 µm. Especially suited to dry processes. We use this cartridge as standard.


Polyester cartridge: Separates particles up to 1 µm. Especially suited to wet processes.

Metal cartridge: Separates particles up to 0.08 mm, such as pieces of: plastic, paper, food, etc.

Activated carbon cartridge: Absorbs high molecular weight vapors, such as: acid and solvent vapors, alkaline solutions, etc.

- Prevents the return of oil
- Protect the vacuum pump from damage
- Prevents loss of valuable materials
- Easy and quick filter change

Connection ØR	Dimensions in mm					Weight in kg
	ØA	B	C	D	E	
3/8"	80	66	12	39	45	0,25
1/2"	100	76	14	53	54	0,56
3/4"	100	76	14	53	54	0,56
1"	133	85	17	53	78	0,96
1-1/4"	170	141	17	93	96	1,75
2"	200	240	18	124	114	3,80
2-1/2"	200	240	18	124	114	3,90
3"	270	180	50	145	165	12,50



Exemple of order:

Air filter

Designation

SAV 249.72FILT - 1"

SAV N° - connection

TRANSPARENT VACUUM FILTER

SAV 249.72FILTPA


Use :

These filters are designed for use with vacuum pumps and are 100% airtight. Thanks to the transparent polyamide housing, it is easy to see if the cartridge needs to be changed or if the filter is clogged. To change or clean the cartridge, simply unscrew the housing with seal.

The filter cannot rust because the upper part is made of polypropylene.

On request, wall mounting bracket.

Connection	Dimensions in mm		
	A	B	C
1/8"	58	58	48
1/4"	75	94,5	84,5
3/8"	75	98,5	86,5
1/2"	75	102,5	88,5
1/2"-L	90,5	129	115
3/4"	90,5	134	118



Exemple of order:

Cartridge filter

Designation

SAV 249.72FILTPA - 3/4"

SAV N° - connection